

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

L Number	Hits	Search Text	DB	Time stamp
36	1	(rfid adj2 (memory storage)) same (cost\$5 with reduc\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 10:58
37	5	(rfid adj2 (memory storage)) same (efficienc\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 10:53
38	1	(radio adj2 frequency\$5 adj2 identi\$5) same (efficienc\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 10:54
39	9	(radio adj2 frequency\$5 adj2 identi\$5) same (advantag\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 10:57
40	7	(radio adj2 frequency\$5 adj2 identi\$5) same (cost\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 10:57
41	15	(rfid adj2 (memory storage)) same (advantag\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 11:04
42	0	(ink\$5 adj2 (cartridge\$5 toner\$5)) with memory\$5 same (updat\$5 adj2 software\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 11:05
43	25	(ink\$5 adj2 (cartridge\$5 toner\$5)) with memory\$5 same (software\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 11:11
44	2	("5812156").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 11:15
45	42	(ink\$5 adj2 (toner\$5 cartridge\$5)) with memory\$5 same laser	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 11:17
46	7	((ink\$5 adj2 (toner\$5 cartridge\$5)) with memory\$5 same laser) and @ad<20010402	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 14:54
47	2	("5,610,635").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 11:16
48	256	(ink\$5 adj2 (toner\$5 cartridge\$5)) with memory\$5 and laser	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 11:17
49	99	((ink\$5 adj2 (toner\$5 cartridge\$5)) with memory\$5 and laser) and @ad<20010402	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 11:45

50	2	("5,049,898").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 11:22
63	2	("5682140").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 11:54
64	2	("5272503").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 11:55
65	2	("5021828").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 11:56
66	2	("4961088").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 11:56
87	10478	(358/1.11-1.16, 347/7, 399/12).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 14:54
88	96	((ink\$5 toner\$5) adj2 cartridg\$5) and rfid	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 14:54
89	23	((ink\$5 toner\$5) adj2 cartridg\$5) with rfid	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 14:54
90	13	((((ink\$5 toner\$5) adj2 cartridg\$5) with rfid ) and ((358/1.11-1.16, 347/7, 399/12).ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 14:54
91	2	(((((ink\$5 toner\$5) adj2 cartridg\$5) with rfid ) and ((358/1.11-1.16, 347/7, 399/12).ccls.)) and @ad<20010402	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 14:54
-	2	"20020140966"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 14:58
-	4	((("6113208") or ("5049898"))).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 14:56
-	2	("6438643").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 15:00
-	3	("6041175").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 15:01

-	2	("6113208").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 15:03
-	2	("6631008").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 15:03
-	2	("5580177").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 15:27
-	2	("6333790").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 15:27
-	14	("4551000"   "4803521"   "4961088"   "5021828"   "5049898"   "5138344"   "5184181"   "5272503"   "5365312"   "5410641"   "5506611"   "5610635"   "5682140"   "5930553").PN.	USPAT	2004/10/15 15:47
-	14	("4551000"   "4803521"   "4961088"   "5021828"   "5049898"   "5138344"   "5184181"   "5272503"   "5365312"   "5410641"   "5506611"   "5610635"   "5682140"   "5930553").PN.	USPAT	2004/10/15 15:47
-	0	("56822140").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 15:51
-	2	("5682140").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 17:19
-	5184	rfid	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 17:20
-	0	(ink\$5 adj2 cartridg\$5) with memory\$5 with rfid same laser\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 17:37
-	10	((ink\$5 toner\$5) adj2 cartridg\$5) with memory\$5 with (radio\$5 adj2 frequenc\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 17:38
-	17	((ink\$5 toner\$5) adj2 cartridg\$5) with memory\$5 with rfid	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 17:40
-	23	((ink\$5 toner\$5) adj2 cartridg\$5) with rfid	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 17:41
-	6	((ink\$5 toner\$5) adj2 cartridg\$5) with rfid ) not (((ink\$5 toner\$5) adj2 cartridg\$5) with memory\$5 with rfid )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 17:40

-	38	((ink\$5 toner\$5) adj2 cartridg\$5) same rfid	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 17:47
-	15	((((ink\$5 toner\$5) adj2 cartridg\$5) same rfid ) not (((ink\$5 toner\$5) adj2 cartridg\$5) with rfid ) not (((ink\$5 toner\$5) adj2 cartridg\$5) with memory\$5 with rfid )) not (((ink\$5 toner\$5) adj2 cartridg\$5) with memory\$5 with rfid )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 17:42
-	15	((((ink\$5 toner\$5) adj2 cartridg\$5) and rfid ) and @ad<20010402	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 17:52
-	2	("6494562").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 17:53
-	2	("6039430").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 17:54
-	3	(ink\$5 adj2 cartridg\$5) with rfid	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 17:58
-	11	(ink\$5 adj2 cartridg\$5) same rfid	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 17:59
-	0	((ink\$5 adj2 cartridg\$5) same rfid) not ((ink\$5 adj2 cartridg\$5) same rfid)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 17:58
-	11	((ink\$5 adj2 cartridg\$5) same rfid) not (compar\$5 with printed\$5 adj4 scanned )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 17:58
-	66	(ink\$5) same rfid and @ad<20010402	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 18:03
-	10	((cartridge\$5 container\$5) with (toner\$2 ink\$5)) same rfid and @ad<20010402	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 18:05
-	6	((cartridge\$5) same (toner\$2 ink\$5)) same rfid and @ad<20010402	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 18:08
-	9	("4961088"   "5272503"   "5283613"   "5491540"   "5572292"   "5699091"   "5826134"   "5835817"   "5930553").PN.	USPAT	2004/10/15 18:06
-	35	(printer\$5 with rfid) and @ad<20010402	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 18:11

-	0	(printer\$5 with rfid adj2 memory) and @ad<20010402	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 18:11
-	70	rfid with memory same (printer\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 18:15
-	15	(rfid with memory same (printer\$5)) and @ad<20010402	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 18:15
-	2	("20020015066").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 18:13
-	287	rfid adj3 memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 18:15
-	87	(rfid adj3 memory ) and @ad<20010402	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 18:16
-	44	(rfid adj3 memory ) and (image\$5 adj2 form\$5 printer\$5 scanner\$5 copy adj2 machine\$5) and @ad<20010402	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 18:19
-	221	(printer\$5 copy adj2 machine\$5 facsimile\$5 copy adj2 machine\$5) with rfid\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 18:21
-	17	(printer\$5 copy adj2 machine\$5 facsimile\$5 copy adj2 machine\$5) with rfid\$2 adj2 (memory\$5 storage\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 18:20
-	35	(printer\$5 copy adj2 machine\$5 facsimile\$5 copy adj2 machine\$5) with rfid\$2 and @ad<20010402	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 18:24
-	8	(advantag\$5) with (rfid\$5 adj2 memory\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 18:26
-	1	(speed\$6) with (rfid\$5 adj2 memory\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 18:27
-	6	(cost\$5) with (rfid\$5 adj2 memory\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 18:32
-	5	(efficien\$5) with (rfid\$5 adj2 memory\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 18:32

-	5	(efficien\$5) same (rfid\$5 adj2 memory\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 18:33
-	4	(reduc\$5) same (rfid\$5 adj2 memory\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 18:34
-	2	("20020051179").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 18:35
-	2	("20010046066").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 18:35